

7-15-88

STD ERM Protocol

△ ASSUMPTIONS

- Viewer has been told relator. TR. (ACS) <sup>are from</sup> - step process.
- self conducted
- no tab. xfm.

□ Pictured

□ are type (of mch) for type of session.

- interviewer

I → A

gives an envelope ... (on encl. out) <sup>given recd.</sup>

inference of request.

+ real coord as outside

- 3x5 card with questions targeted + Boch. att.

- encrypts it.

I

2.

"Target is in Envelope."

]

App.

3.

the target envelope ... on a table

4.

Run to going in

done / detected  
physical artifact  
(well)

5.

drop ... relight on

can me to write

6.

6. Verner Talks

7. (or 1 year...) MID Zone ACS - a sanctuary

→ Ref. to inv... somewhere is a place where you feel Exd in -

trip... → no description.  
~ xfer → go back to place

then, Gen Encrypt ~~RT~~ coord -

→ Gen. description  
→ →

they talk: → stop only when re analytical (next RT RT)  
10- -- wh -- no analysis

(Break it down = characteristics of -  
- describe it =

0  
00  
IF2  
FF RT, OK, IF Left (stop).

4.

- ± Unit 14-Session destructor.

- 14 series... ≡

next phase

→ c/c... managing... wire draw  
- Co bed to 'S'

- ± Unit reports gostalt.

- New in Sanct.... Now recall what you have seen

<sup>gostalt</sup>  
Lick in MIV... so have more left brain in it.

Engbed.... Now.... Put together...  
- analysis occur.

↳ back at  
→ Now draw

which is 75-25% STJ... Unit 14 in Narrative form

0  
0

Now put in recalling form... + 1st Session

☐ what was given to √ to ±

5

□ knowled<sup>of car</sup> target increase with sens. #.

⇐ time frame - - area 2 extra sessions

↙  
BUT... tried diff... LIMIT... how many  
 data.